

INDIVIDUAL TYPE (SI-0401/0402/0403/0404) 獨立式


PENDANT-MOUNTED 吊掛



SURFACE-MOUNTED 明裝




DIMENSION 尺寸




CONTINUOUS TYPE (SI-0411/0412/0413) 連續式


PENDANT-MOUNTED 吊掛



SURFACE-MOUNTED 明裝




DIMENSION 尺寸




P.35

PHOTOMETRIC DATA 配光曲線圖

INDIVIDUAL TYPE 獨立式
4x18W T8




CONTINUOUS TYPE 連續式
2x58W T8



ACCESSORIES FOR CONTINUOUS TYPE 連續式配件

EMPTY MODULE 空殼
HALOGEN DOWNLIGHTS ON REQUEST



END CAP 尾蓋




UNIVERSAL JOINT 接駁器
DIMENSION=220x220x100




OPTIC 照射


DIRECT & INDIRECT(+U) 上下照射



CONTINUOUS - STRAIGHT TYPE MOUNTED WITHOUT UNIVERSAL JOINT 連續追通式(無接駁器)



CONTINUOUS - CORNER TYPE WITH UNIVERSAL JOINT 連續轉角度(有接駁器)



P.36

APPLICATIONS

OFFICES . COMPUTER ROOMS . MEETING ROOMS .
LIBRARIES . HALLWAYS . EXHIBITION HALLS . RECEPTION AREAS

STRUCTURE

BODY: SHEET STEEL IN STANDARD WHITE COLOR,
OTHER COLORS ARE AVAILABLE.

LOUVER: PARABOLIC ANODIZED ALUMINIUM IN
SPECULAR-SINGLE(+SS) / SPECULAR-DOUBLE(+SD) /
MATT SATIN-SINGLE(+MS) / MATT SATIN-DOUBLE(+MD) /
WHITE PREPAINTED-SINGLE(+WS) /
WHITE PREPAINTED-DOUBLE(+WD).

CONTROL GEAR: STANDARD IN 220V 50HZ SWITCHSTART(LPF),
OTHERS ARE AVAILABLE IN SWITCHSTART HPF(+C) /
HF ELECTRONIC BALLAST(+H) / DIMMABLE HF
ELECTRONIC BALLAST(+DH).

EMERGENCY: STANDARD 2 HOURS DISCHARGE NI-CD BATTERY(+EM2),
OTHERS ARE AVAILABLE IN 3 HOURS DISCHARGE NI-CD
BATTERY(+EM3) / 2 HOURS DISCHARGE NI-MH BATTERY(+EMH2).

OPTIONS: FUSED TERMINAL BLOCK(+F), PHOTOMETRY-CATEGORY 2(+C2) /
CATEGORY 3(+C3).

**UPPER
DIFFUSER(+U):** PRISMATIC(+P) / OPAL(+O) PMMA ON REQUEST.

應用位置

寫字樓 · 電腦室 · 會客室 · 圖書館 · 走道 ·
展覽室 · 接待處 ·

結構

燈體 : 白色金屬外殼。
百葉 : 進口德國氧化鋁(鏡單/鏡雙/啞單/啞雙/白單/白雙)
電器 : 全進口電器(電感式、電子式、調光暗電子式)
應急 : 可內置2小時或3小時應急電池套件。
配件 : 可另配保險絲及座。
上層面罩 : 棱形奶白膠片。

ORDER CODE 訂購編碼

Cat. No. 型號	Lamp 光源		Dimension 尺寸 (WxLxHmm)
SI-0401-118/126 PLC	1x18w/26w PLC	節能管 G24d-2/3	150/200/300x300x100
SI-0401-118/136/140/155 PLL	1x18w/36w/40w/55wPLL	節能管 2G11	150/200/300x600x100
SI-0401-114/124 T5	1x14w/24w T5	T5光管G5	150/200/300x600x100
SI-0401-118 T8	1x18w T8	T8光管G13	150/200/300x600x100
SI-0401-121/139 T5	1x21w/39w T5	T5光管G5	150/200/300x900x100
SI-0401-130 T8	1x30w T8	T8光管G13	150/200/300x900x100
SI-0401-128/154 T5	1x28w/54w T5	T5光管G5	150/200/300x1200x100
SI-0401-136 T8	1x36w T8	T8光管G13	150/200/300x1200x100
SI-0401-135/149/180 T5	1x35w/49w/80w T5	T5光管G5	150/200/300x1500x100
SI-0401-158 T8	1x58w T8	T8光管G13	150/200/300x1500x100
SI-0402-218/226 PLC	2x18w/26w PLC	節能管 G24d-2/3	300/600x300x100
SI-0402-218/236/240/255 PLL	2x18w/36w/40w/55wPLL	節能管 2G11	300/600x600x100
SI-0402-214/224 T5	2x14w/24wT5	T5光管G5	300/600x600x100
SI-0402-218 T8	2x18w T8	T8光管G13	300/600x600x100
SI-0402-221/239 T5	2x21w/39wT5	T5光管G5	300/600x900x100
SI-0402-230 T8	2x30w T8	T8光管G13	300/600x900x100
SI-0402-228/254 T5	2x28w/54w T5	T5光管G5	300/600x1200x100
SI-0402-236 T8	2x36w T8	T8光管G13	300/600x1200x100
SI-0402-235/249/280 T5	2x35w/49w/80wT5	T5光管G5	300/600x1500x100
SI-0402-258 T8	2x58w T8	T8光管G13	300/600x1500x100
SI-0403-318/326 PLC	3x18w/26wPLC	節能管 G24d-2/3	600x300x100
SI-0403-318/336/340/355 PLL	3x18w/36w/40w/55wPLL	節能管 2G11	600x600x100
SI-0403-314/324 T5	3x14w/24w T5	T5光管G5	600x600x100
SI-0403-318 T8	3x18w T8	T8光管G13	600x600x100
SI-0403-321/339 T5	3x21w/39w T5	T5光管G5	600x900x100
SI-0403-330 T8	3x30w T8	T8光管G13	600x900x100
SI-0403-328/354 T5	3x28w/54w T5	T5光管G5	600x1200x100
SI-0403-336 T8	3x36w T8	T8光管G13	600x1200x100
SI-0403-335/349/380 T5	3x35w/49w/80w T5	T5光管G5	600x1500x100
SI-0403-358 T8	3x58w T8	T8光管G13	600x1500x100
SI-0404-418/426 PLC	4x18w/26w PLC	節能管 G24d-2/3	600x300x100
SI-0404-418/436/440/455 PLC	4x18w/36w/40w/55w PLL	節能管 2G11	600x600x100
SI-0404-414/424 T5	4x14w/24w T5	T5光管G5	600x600x100
SI-0404-418 T8	4x18w T8	T8光管G13	600x600x100
SI-0404-421/439 T5	4x21w/39w T5	T5光管G5	600x900x100
SI-0404-430 T8	4x30w T8	T8光管G13	600x900x100
SI-0404-428/454 T5	4x28w/54w T5	T5光管G5	600x1200x100
SI-0404-436 T8	4x36w T8	T8光管G13	600x1200x100
SI-0404-435/449/480 T5	4x35w/49w/80w T5	T5光管G5	600x1500x100
SI-0404-458 T8	4x58w T8	T8光管G13	600x1500x100
SI-0411-114/124 T5	1x14w/24w T5	T5光管G5	220x600x100
SI-0411-118 T8	1x18w T8	T8光管G13	220x640x100
SI-0411-121/129 T5	1x21w/39w T5	T5光管G5	220x900x100
SI-0411-130 T8	1x30w T8	T8光管G13	220x940x100
SI-0411-128/154 T5	1x28w/54w T5	T5光管G5	220x1200x100
SI-0411-136 T8	1x36w T8	T8光管G13	220x1250x100
SI-0411-135/149/180 T5	1x35w/49w/80w T5	T5光管G5	220x1500x100
SI-0411-158 T8	1x58w T8	T8光管G13	220x1550x100
SI-0412-214/224 T5	2x14w/24w T5	T5光管G5	220x600x100
SI-0412-218 T8	2x18w T8	T8光管G13	220x640x100
SI-0412-221/239 T5	2x21w/39w T5	T5光管G5	220x900x100
SI-0412-230 T8	2x30w T8	T8光管G13	220x940x100
SI-0412-238/254 T5	2x28w/54w T5	T5光管G5	220x1200x100
SI-0412-236 T8	2x36w T8	T8光管G13	220x1250x100
SI-0412-235/249/280 T5	2x35w/49w/80w T5	T5光管G5	220x1500x100
SI-0412-258 T8	2x58w T8	T8光管G13	220x1550x100
SI-0413-314/324 T5	3x14w/24w T5	T5光管G5	220x6010x100
SI-0413-321/339 T5	3x21w/39w T5	T5光管G5	220x900x100
SI-0413-328/354 T5	3x28w/54w T5	T5光管G5	220x1200x100
SI-0413-335/349/380 T5	3x35w/49w/80w T5	T5光管G5	220x1500x100